ARclad® Tape Solutions Window and Door Industry




ARclad® products are easy-to-apply, clean, safe, and our PSA tapes provide reliable, cost-effective solutions for residential and commercial window manufacturers.


Our ARclad® product line includes a wide variety of standardized foam tapes and highperformance tapes for demanding applications that require superior-performance.

Applications for ARclad® tapes include:

Glazing: Ideally suited for sealing glass in wood, vinyl and aluminum framing systems.

Muntin mounting: Solvent-free alternative for adhering wood, painted aluminum and PVC-extruded muntin bars to simulated divided light (SDL) windows and doors with minimal or no surface preparation.





Glazing Tapes

- Closed cell PE foam.
- ▶ Multiple colors / Thicknesses / Liners.
- Complete moisture / Air / Vapor barrier.
- ▶ High tack, Shear, Creep resistant.
- AAMA 810.1 certified and expanded cellular glazing tape, type 1.
- > Superior adhesion to many substrates.
- ► Excellent UV / Cyclic shock resistance.

Product Number	Thickness	SCF/DCF	Color	Liner	Product Features				
Series 1000 / 2000									
1532	1/32"	SCF	WHT	78# Paper	ARclad® 2000 series double-coated closed cell polyethylene				
2408	1/8"	DCF	BLK	-11, 82					
2508	1/8"	DCF	GRY	-11, -72	foam tapes offer a high tack, high strength, and creep resistant adhesive and long term holding power to many				
2416	1/16"	DCF	BLK	-11, -72	plastics, metals, and construction materials indoors or out.				
2516*	1/16"	DCF	WHT	-11, -72	Also feature good sealing characteristics, low odour, and				
2432	1/32"	DCF	BLK	-11, -72	cyclic shock resistance.				
2532	1/32"	DCF	WHT	-11	* Indicates excellent cold temperature performance.				
8029	3/32"	DCF	BLK	-72					
Series 3000									
3408	1/8"	DCF	BLK	-72	ARclad® 3000 series tapes are flexible closed cell PE foam				
3508	1/8"	DCF	WHT	-72	tapes coated on both sides with a permanent acrylic based				
3416	1/16"	DCF	BLK	-72	pressure-sensitive adhesive. Bonds well to many plastics,				
3432	1/32"	DCF	BLK	-11, -72	vinyl, metals, and construction materials, including glass and				
3532	1/32"	DCF	WHT	-72	preserved wood. Excellent UV resistance, cold flex and good				
3632	1/32"	DCF	GRY	-72	sealing characteristics.				
				Se	ries 4000				
4008	1/8"	SCF	WHT	-72					
4016	1/16"	SCF	WHT	-72					
4416	1/16"	DCF	BLK	-72	ARclad® 4000 series tapes offer greater resistance to				
4516	1/16"	DCF	WHT	-72	moisture and an enhanced bond between the tape, building				
4716	1/16"	DCF	GRY	-72	materials, and glass interface. Excellent for radius corners.				
4532	1/32"	DCF	WHT	-72					
47332	3/32"	DCF	GRY	-72					
				High Perform	nance Glazing Tapes				
8418	1/16"	DCF	BLK	-72	ARclad® 8416 and 8516 offer greater resistance to moisture, and a substantial improvement in the bond to glass over current rubber and acrylic glazing tapes. Significantly enhanced bond to the sash – wood, vinyl, fiberglass, in dry or wet conditions. Improved heat resistance. The flexible foam is ideal for manufacturing radius corners.				
8516	1/16"	DCF	WHT	-72					

Muntin Mounting Tapes

- Closed cell PE foam with barrier.
- ▶ Broad substrate adhesion.
- Robust liners / Speed of assembly.
- ▶ Resistant to Temp / Humidity / UV.
- > Resistance to thermal expansion.
- > Silane coupling agent not required.

Product Number	Thickness	SCF/DCF	Color	Liner	Product Features				
Series 7000 / 8000									
7786	1/16"	DCF	BLK						
7936	1/32"	DCF	BLK		•				
7837	1/32"	DCF	WHT		ARclad® Series 7000 / 8000 Muntin Bar Tapes are ne				
8748	1/8"	DCF	BLK		generation high performance muntin mounting tape				
8326	1/32"	DCF	GRY		featuring a closed cell polyethylene foam and a high				
8626	1/32"	DCF	GRY	-78	performance acrylic adhesive system. These tapes provide				
8726	1/32"	DCF	BLK	-78	superior wet-out with exceptional adhesion to a broad range				
8445	.045"	DCF	BLK	-78	of substrates without the need for surface abrasion or Silan				
8645	.045"	DCF	GRY	-78	treatments.				
7786	1/16"	DCF	BLK						
7936	1/32"	DCF	BLK						

Release Liner Specifications										
Part #	AR Designation	Mils	Release Ranking	Material	Comments					
W-2825-0	-11	4.4	Easy-Medium	Paper	77# White Base Paper					
R-10315-	-78	3	Tighter	Blue PPE						
0										
R-10443-	-72	4	Easiest	Blue PPE						
0										
R11496-0	-82	4	Tighter/Easiest	Blue PPE	Differential Release					

ARclad® Tape Solutions Window and Door Industry



About Adhesives Research:

Adhesives Research is a permanently independent developer and manufacturer of adhesives and coatings for various markets.

We utilize our material knowledge, polymer synthesis/formulation expertise, and versatile manufacturing capabilities to supply key components to the industry.

We offer robust products and technologies and can also rapidly customize to meet the specific needs of an application.

Headquarted in Glen Rock, PA. Adhesives Research has also sales and manufacturing facilities in Ireland and sales offices in China and Singapore.

To learn more information about how Adhesives Research can help solve tape and materials engineering challenges, contact us today.



2022, Adhesives Research, Inc.

(July 2022)

North America - Headquarters

Adhesives Research, Inc. 400 Seaks Run Road Glen Rock, PA 17327 Phone: +1 (717) 235-7979 Toll-free: +1 (800) 445-6240 Fax: +1 (717) 235-8320

Europe

Adhesives Research Ireland, Ltd.

Raheen Business Park Raheen, Limerick V94 VH22 Ireland Phone: +353 61 300 300 Fax: +353 61 300 700

China

Adhesives Research China Co., Ltd. Adhesives Research PTE Ltd. Room 2710-2711, Building B Far Glory International Square No. 317 Xianxia Road Shanghai, China 200051

Phone: +86 (21) 6150 4358 Fax: +86 21 6278 5576

Singapore

60 Paya Lebar Road #04-04 Paya Lebar Square Singapore 409051 Phone: +65 6774 9580

Fax: +65 6777 7261